

```

45      </nda:pick>
      <nda:pick nda:aspect_ratio="portrait">
        <table align="LCR" columns="3">
          <tr>
            <td>M&nbsp;M</td>
            <td></img></td>
            <td>Hi 78 F<br></br>Lo 68 F</td>
          </tr>
          <tr>
            <td>T</td>
            <td></img></td>
            <td>Hi 89 F<br></br>Lo 69 F</td>
          </tr>
          <tr>
            <td>W</td>
            <td></img></td>
            <td>Hi 95 F<br></br>Lo 75 F</td>
          </tr>
          <tr>
            <td>Th</td>
            <td></img></td>
            <td>Hi 88 F<br></br>Lo 68 F</td>
          </tr>
          <tr>
            <td>S</td>
            <td></img></td>
            <td>Hi 79 F<br></br>Lo 65 F</td>
          </tr>
        </table>
      </nda:pick>
      </nda:shape>
80    </p>
    </card>
  </wml>

```

Fig. 13B




FIG. 14

*Consider an object which has
four features.*

Features = α β χ δ

FIG. 15

*Each Feature may take
different values, denoted by
a different 'font' here.*



α	β	χ	δ
A	B	C	D
<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
A	B	C	D
<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>

FIG. 16